

TUBOS SF

AMEGHINO N ° 638
SAN FRANCISCO CORDOBA
CUIT 30-71708817-0
<https://tubossf.com.ar/>



Reparación para caños de P.V.C. y P.E.A.D



CODIGO	COD PROV	ETRO EXT. DE	LARGO DE LA PIEZA
JP00001	1212	40	90
JP00002	1201	50	90
JP00003	1202	63	100
JP00004	1203	75	100
JP00005	1204	90	115
JP00006	1205	110	115
JP00007	1206	160	120
JP00008	1214	40	200
JP00009	1207	50	200
JP00010	1208	63	200
JP00011	1209	75	200
JP00012	1210	90	200
JP00013	1211	110	200
JP00014	1216	125	220
JP00015	1215	140	220
JP00016	1220	160	220
JP00017	1228	180	220
JP00018	1217	200	220
JP00019	1221	225	235
JP00020	1218	250	240
JP00021	1226	280	240
JP00022	1222	315	250
JP00023	1224	355	250
JP00024	1225	400	250
JP00025	1228	450	300
JP00026	1227	500	300
JP00027	1230	630	330

Multiuso reparación para cañerías en pulgadas



APLICACIONES



CODIGO	COD. PROV	D.N	ETRO EXT DEL	LARGO DE LA PIEZA
JP00029	1001	1/2"	17-19	70
JP00030	1002	1/2"	20-22	70
JP00031	1003	3/4"	23-25	70
JP00032	1004	3/4"	26-28	70
JP00033	1022	1"	29-31	70
JP00034	1005	1"	32-34	70
JP00035	1016	1 1/4"	42,4	90
JP00036	1015	1 1/2"	48,3	90
JP00037	1028	1 1/2"	48,3	200
JP00038	1006	2"	60,3	100
JP00039	1029	2"	60,3	200
JP00040	1018	2 1/2 "	76,1	100
JP00041	1017	3"	88,9	115
JP00042	1030	3"	88,9	200
JP00043	1019	4"	114,3	220
JP00044	1023	5"	141,3	220
JP00045	1020	6"	168,3	220
JP00046	1021	8"	219,1	240
JP00047	1027	10"	254	250
JP00048	1024	12"	304,8	250
JP00049		14"	355,6	250
JP00050	1026	16"	406,4	260

Reparación para caños de hierro, fundición y asbesto cemento



CODIGO	COD PROV	D.N	CLASE	TRO EXT. DEL	LARGO DE LA PIEZA
JP00051	1550	50	3	68	200
JP00052	1558	50	5	74	200
JP00053	1572	50	7	79	200
JP00054	1551	60	3 - 5 - 7	78 a 86	200
JP00055	1562	75	3	93	200
JP00056	1552	75	5-7-10	98 a 105	200
JP00057	1559	100	3	118 a 124	220
JP00058	1557	100	5-7-10	131 a 137	220
JP00059	1561	125	3-5-7-10	145 a 153	220
JP00060	1553	150	3-5	170 a 174	220
JP00061	1554	150	7-10	180 a 184	220
JP00062	1555	175	3-5	197 a 201	220
JP00063	1565	175	7-10	211 a 215	235
JP00064	1563	200	3	222 a 226	235
JP00065	1556	200	5-7-10	230 a 238	240
JP00066	1567	225	3	247	250
JP00067	1576	250	3	274 a 280	250
JP00068	1566	250	5-7-10	286 a 294	250
JP00069	1568	300	3	328	250
JP00070	1569	300	5-7-10	344 a 354	250
JP00071	1570	350	3	382	260
JP00072	1571	350	5-7-10	400 a 411	260
JP00073	1573	400	5-7	458 a 464	300
JP00074	1574	400	10	490	300
JP00075	1575	450	3	490	300
JP00076	1577	500	5-7-10	572 a 584	330

Transición



CODIGO	COD PROV	IDENTIFICACION	D.N	DIAMETRO EXT. DEL CAÑO
JP00077	1301	Plomo, Hidrobronza,	1/2	17-19 mm
				20-22 mm
JP00078	1302	Plomo, Hidrobronza,	3/4	23-26 mm
				27-29 mm
JP00079	1305	PVC a Caño Galvanizado o	2"	PVC 63
				a 60,3
JP00080	1303	Asbesto Cemento a PVC Extra Larga	60	78-86 mm
				PVC 90
JP00081	1310	Asbesto Cemento a PVC Extra Larga	75	99-105 mm
				PVC 75
JP00082	1304	Asbesto Cemento a PVC Extra Larga	75	99-105 mm
				PVC 110
JP00083	1306	Asbesto Cemento a PVC Extra Larga	75	99-105 mm
				PVC 90
JP00084	1314	Asbesto Cemento a PVC Extra Larga	100	118 mm
				PVC 110
JP00085	1309	Asbesto Cemento a PVC Extra Larga	100	131-137 mm
				PVC 110
JP00086	1307	Asbesto Cemento a PVC Extra Larga	100	131-137 mm
				PVC 140
JP00087	1313	Asbesto Cemento a PVC Extra Larga	125	145-153 mm
				PVC 125
JP00088	1311	Asbesto Cemento a PVC Extra Larga	150	170-174 mm
				PVC 160
JP00089	1312	Asbesto Cemento a PVC Extra Larga	150	180-184 mm
				PVC 160
JP00090	1308	Asbesto Cemento a PVC Extra Larga	175	210 mm
				PVC 200
JP00091	1315	Asbesto Cemento a PVC Extra Larga	200	230-238
				PVC 200

Reducción



CODIGO	COD PROV	IDENTIFICACION
JP00092	1320	PVC 50 A 40
JP00093	1321	PVC 63 A 50
JP00094	1322	PVC 75 A 63
JP00095	1323	PVC 90 A 75 EXTRA LARGA
JP00096	1324	PVC 110 A 90 EXTRA LARGA
JP00097	1325	PVC 125 A 110 EXTRA LARGA
JP00098	1326	PVC 140 A 125 EXTRA LARGA
JP00099	1327	PVC 160 A 140 EXTRA LARGA
JP00100	1335	PVC 180 A 160 EXTRA LARGA
JP00101	1336	PVC 200 A 180 EXTRA LARGA
JP00102	1328	PVC 225 A 200 EXTRA LARGA
JP00102	1329	PVC 250 A 225 EXTRA LARGA
JP00103	1330	PVC 315 A 280 EXTRA LARGA
JP00104	1331	PVC 355 A 315 EXTRA LARGA
JP00105	1332	PVC 400 A 355 EXTRA LARGA
JP00106	1334	PVC 500 A 400 EXTRA LARGA

Cabezal para reparación de caños de PVC y Asbesto Cemento

Cabezal para caños de PVC

Cabezal para caños de PVC



CODIGO	COD PROV	DIAMETRO EXTERIOR DEL CAÑO
JP00107	1350	50
JP00108	1351	63
JP00109	1364	63 EXTRA LARGA
JP00110	1352	75
JP00111	1366	75 EXTRA LARGA
JP00112	1353	90
JP00113	1367	90 EXTRA LARGA
JP00114	1354	110 EXTRA LARGA
JP00115	1355	125 EXTRA LARGA
JP00116	1356	140 EXTRA LARGA
JP00117	1357	160 EXTRA LARGA
JP00118	1358	200 EXTRA LARGA
JP00119	1359	225 EXTRA LARGA
JP00120	1362	250 EXTRA LARGA
JP00121	1360	315 EXTRA LARGA
JP00122	1361	355 EXTRA LARGA
JP00123	1368	DN 50 C'3-5 DIAM 116-122 A DIAM 68-74


Cabezal para caño de Asbesto Cemento



Cabezal para caños de asbesto cemento

CODIGO	COD PROV	DN	CLASE	DIAMETRO EXTERIOR
JP00124	1368	50	3	DIAM. 116 A DIAM. 68
			5	DIAM. 122 A DIAM.74

Derivación para cañerías de agua en pulgadas, salida rosca hembra



CODIGO	COD PROV	D.N	M. EXT DEL CA	SALIDA ROSCA
JP00125	140101	1/2"	17-19	1/2"
JP00126	140201	1/2"	20-22	1/2"
JP00127	140301	3/4"	22-24	1/2"
JP00128	140302	3/4"	22-24	3/4"
JP00129	140401	3/4"	25-28	1/2"
JP00130	140402	3/4"	25-28	3/4"
JP00131	140501	1 "	32-34	1/2"
JP00132	140502	1 "	32-34	3/4"
JP00133	140503	1"	32-34	1"
JP00134	140601	1 1/4"	42,4	1/2"
JP00135	140602	1 1/4"	42,4	3/4"
JP00136	140603	1 1/4"	42,4	1"
JP00137	140701	1 1/2"	48,3	1/2"
JP00138	140702	1 1/2 "	48,3	3/4"
JP00139	140703	1 1/2 "	48,3	1"
JP00140	140704	1 1/2 "	48,3	1 1/2"
JP00141	140801	2"	60,3	1/2"
JP00142	140802	2"	60,3	3/4"
JP00143	140803	2"	60,3	1"
JP00144	140805	2"	60,3	2"
JP00145	140901	2 1/2"	76,1	1/2"
JP00146	140902	2 1/2"	76,1	3/4"
JP00147	140903	2 1/2"	76,1	1"
JP00148	140906	2 1/2"	88,9	2 1/2"
JP00149	141001	3"	88,9	1/2"
JP00150	141002	3"	88,9	3/4"
JP00151	141003	3"	88,9	1"
JP00151	141005	3"	88,9	2"
JP00152	141006	3"	88,9	2 1/2"
JP00152	141101	4"	114,3	1/2"
JP00153	141102	4"	114,3	3/4"
JP00153	141103	4"	114,3	1"
JP00154	141105	4"	114,3	2"
JP00155	111106	4"	114,3	2 1/2"

JP00156	141107	4"	141,3	3"
JP00157	141301	5"	141,3	1/2"
JP00158	141302	5"	141,3	3/4"
JP00159	141303	5"	141,3	1"
JP00159	141306	5"	141,3	2 1/2"
JP00160	141307	5"	141,3	3"
JP00161	141201	6"	168	1/2"
JP00162	141202	6"	168	3/4"
JP00162	141203	6"	168	1"
JP00163	141205	6"	168	2"
JP00163	141206	6"	168	2 1/2"
JP00164	141207	6"	168	3"
JP00165	141209	6"	168	4"
JP00166	141406	8"	219,1	2 1/2"
JP00167	141407	8"	219,1	3"
JP00168	141409	8"	219,1	4"
JP00169	141506	10"	254	2 1/2"
JP00170	141507	10"	254	3"
JP00171	141509	10"	254	4"
JP00172	141606	12"	304,8	2 1/2"
JP00173	141607	12"	304,8	3"
JP00174	141609	12 "	304,8	4"
JP00175	141706	14"	355,6	2 1/2"
JP00176	141707	14"	355,6	3"
JP00177	141709	14"	355,6	4"
JP00178	141806	16"	406,4	2 1/2"
JP00179	141807	16"	406,41	3"
JP00180	141809	16"	406,42	4"

Tomas de agua con O'ring para caños de PVC y PEAD, salida rosca hembra



CODIGO	COD PROV	O EXTERIOR D	LARGO DE LA PIEZA
JP00181	90101	40	1/2"
JP00182	90102	40	3/4"
JP00183	90103	40	1"
JP00184	90201	50	1/2"
JP00185	90202	50	3/4"
JP00186	90203	50	1"
JP00187	90301	63	1/2"
JP00188	90302	63	3/4"
JP00189	90303	63	1"
JP00190	90401	75	1/2"
JP00191	90402	75	3/4"
JP00192	90403	75	1"
JP00193	90501	90	1/2"
JP00194	90502	90	3/4"
JP00195	90503	90	1"
JP00196	90601	110	1/2"
JP00197	90602	110	3/4"
JP00198	90603	110	1"
JP00199	91601	125	1/2"
JP00200	91602	125	3/4"
JP00201	91603	125	1"
JP00202	91701	140	1/2"
JP00203	91702	140	3/4"
JP00204	91703	140	1"
JP00205	90701	160	1/2"
JP00206	90702	160	3/4"
JP00207	90703	160	1"
JP00208	90801	200	1/2"
JP00209	90802	200	3/4"
JP00210	90803	200	1"
JP00211	90805	200	2"
JP00212	91001	225	1/2"
JP00212	91002	225	3/4"
JP00213	91003	225	1"
JP00214	91005	225	2"
JP00215	90901	250	1/2"
JP00216	90902	250	3/4"
JP00217	90903	250	1"
JP00218	90905	250	2"

JP00219	91101	315	1/2"
JP00220	91102	315	3/4"
JP00221	91103	355	1"
JP00222	91105	355	2"
JP00222	91501	355	1/2"
JP00223	91502	355	3/4"
JP00223	91503	355	1"
JP00224	91505	355	2"

Tomas de agua con elastómetro para caños de PVC y PEAD, salida rosca hembra



CODIGO	COD PROV	O EXTERIOR D	LARGO DE LA PIEZA
JP00225	80101	50	1/2"
JP00226	80102	50	3/4"
JP00227	80103	50	1"
JP00228	80104	50	1 1/2"
JP00229	80201	63	1/2"
JP00230	80202	63	3/4"
JP00231	80203	63	1"
JP00232	80205	63	2"
JP00233	80301	75	1/2"
JP00234	80302	75	3/4"
JP00235	80303	75	1"
JP00236	80305	75	2"
JP00237	80306	75	2 1/2"
JP00238	80401	90	1/2"
JP00239	80402	90	3/4"
JP00240	80403	90	1"
JP00241	80405	90	2"
JP00242	80406	90	2 1/2"
JP00243	80501	110	1/2"
JP00244	80502	110	3/4"
JP00245	80503	110	1"
JP00246	80505	110	2"
JP00247	80506	110	2 1/2"
JP00248	80507	110	3"
JP00249	81301	125	1/2"
JP00250	81302	125	3/4"
JP00251	81303	125	1"



JP00252	81306	125	2 1/2"
JP00253	81307	125	3"
JP00254	80601	140	1/2"
JP00255	80602	140	3/4"
JP00256	80603	140	1"
JP00257	80606	140	2 1/2"
JP00258	80607	140	3"
JP00259	80801	160	1/2"
JP00260	80802	160	3/4"
JP00261	80803	160	1"
JP00262	80805	160	2"
JP00263	80806	160	2 1/2"
JP00264	80807	160	3"
JP00265	80809	160	4"
JP00266	80906	200	2 1/2"
JP00267	80907	200	3"
JP00268	80909	200	4"
JP00269	81101	225	1/2"
JP00270	81102	225	3/4"
JP00271	81103	225	1"
JP00272	81105	225	2"
JP00273	81106	225	2 1/2"
JP00274	81107	225	3"
JP00275	81109	225	4"
JP00276	81006	250	2 1/2"
JP00277	81007	250	3"
JP00278	81009	250	4"
JP00279	81206	315	2 1/2"
JP00280	81207	315	3"
JP00281	81209	315	4"
JP00282	81406	355	2 1/2"
JP00283	81407	355	3"
JP00284	81409	355	4"
JP00285	81506	400	2 1/2"
JP00286	81507	400	3"
JP00287	81509	400	4"
JP00288	81707	450	3"
JP00289	81709	450	4"
JP00290	81607	500	3"
JP00291	81609	500	4"
JP00292	81807	630	3"
JP00293	81809	630	4"

Tomas de agua para cañerías de hierro, fundición y asbesto cemento, salida rosca hembra



CODIGO	CODIGO PR	D.N.	CLASE	O EXTERIOR D	SALIDA ROSCA
JP00294	1680101	50	3	68	1/2"
JP00295	1680102	50	3	68	3/4"
JP00296	1680103	50	3	68	1"
JP00297	1680105	50	3	68	2"
JP00298	1680301	50	5-7	74 A 79	1/2"
JP00299	1680302	50	5-7	74 A 79	3/4"
JP00300	1680303	50	5-7	74 A 79	1"
JP00301	1680305	50	5-7	74 A 79	2"
JP00302	1680307	50	5-7	74 A 79	2 1/2"
JP00303	1681101	60	3	78	1/2"
JP00304	1681102	60	3	78	3/4"
JP00305	1681103	60	3	78	1"
JP00306	1681105	60	3	78	2"
JP00307	1681106	60	3	78	2 1/2"
JP00308	1681501	60	5-7-10	84 A 92	1/2"
JP00309	1681502	60	5-7-10	84 A 92	3/4"
JP00310	1681503	60	5-7-10	84 A 92	1"
JP00311	1681505	60	5-7-10	84 A 92	2"
JP00312	168506	60	5-7-10	84 A 92	2 1/2"
JP00313	1682101	75	3	93	1/2"
JP00314	1682102	75	3	93	3/4"
JP00315	1682103	75	3	93	1"
JP00316	1682105	75	3	93	2"
JP00317	1682106	75	3	93	2 1/2"
JP00318	1682501	75	5-7-10	99 A 105	1/2"
JP00319	1682502	75	5-7-10	99 A 105	3/4"
JP00320	1682503	75	5-7-10	99 A 105	1"
JP00321	1682505	75	5-7-10	99 A 105	2"
JP00322	1682506	75	5-7-10	99 A 105	2 1/2"
JP00323	1682507	75	5-7-10	99 A 105	3"
JP00324	1683101	100	3	118	1/2"
JP00325	1683102	100	3	118	3/4"
JP00326	1683103	100	3	118	1"
JP00327	1683106	100	3	118	2 1/2"
JP00328	1683501	100	5-7-10	131 A 137	1/2"
JP00329	1683502	100	5-7-10	131 A 137	3/4"
JP00330	1683503	100	5-7-10	131 A 137	1"

JP00331	1683506	100	5-7-10	131 A 137	2 1/2"
JP00332	1683507	100	5-7-10	131 A 137	3"
JP00333	1684501	125	5-7-10	149 A 153	1/2"
JP00334	1684502	125	5-7-10	149 A 153	3/4"
JP00335	1684503	125	5-7-10	149 A 153	1"
JP00336	1684505	125	5-7-10	149 A 153	2"
JP00337	1684506	125	5-7-10	149 A 153	2 1/2"
JP00338	1684507	125	5-7-10	149 A 153	3"
JP00339	1684509	125	5-7-10	149 A 153	4"
JP00340	1688203	150	3-5	170 A 174	1"
JP00341	1688205	150	3-5	170 A 174	2"
JP00342	1688403	150	7-10	180 A 184	1"
JP00343	1688405	150	7-10	180 A 184	2"
JP00344	1685206	175	3-5	197 A201	2 1/2"
JP00345	1685207	175	3-5	197 A201	3"
JP00346	1685209	175	3-5	197 A201	4"
JP00347	1685406	175	7-10	211 A 215	2 1/2"
JP00348	1685407	175	7-10	211 A 215	3"
JP00349	1685409	175	7-10	211 A 215	4"
JP00350	1686503	200	5-7-10	230 A 238	1"
JP00351	1686505	200	5-7-10	230 A 238	2"
JP00352	1686506	200	5-7-10	230 A 238	2 1/2"
JP00353	1686507	200	5-7-10	230 A 238	3"
JP00354	1686509	200	5-7-10	230 A 238	4"
JP00355	1687503	250	5-7-10	286 A 294	1"
JP00356	1687505	250	5-7-10	286 A 294	2"
JP00357	1657506	250	5-7-10	286 A 294	2 1/2"
JP00358	1687509	250	5-7-10	286 A 294	4"
JP00359	1689106	300	3	328	2 1/12"
JP00360	1689107	300	3	328	3"
JP00361	1689109	300	3	328	4"
JP00362	1689503	300	5-7-10	344 A 354	1"
JP00363	1689505	300	5-7-10	344 A 354	2"
JP00364	1689506	300	5-7-10	344 A 354	2 1/2"
JP00365	1689507	300	5-7-10	344 A 354	3"
JP00366	1689509	300	5-7-10	344 A 354	4"
JP00367	1690106	350	3	382	2 1/2"
JP00368	1690107	350	3	382	3"
JP00369	1690109	350	3	382	4"
JP00370	1690506	350	5-7-10	400 A 411	2 1/2"
JP00371	1690507	350	5-7-10	400 A 411	3"
JP00372	1690509	350	5-7-10	400 A 411	4"

JP00373	1693307	400	5-7	458 A 464	2 1/2"
JP00374	1693307	400	5-7	458 A 464	3"
JP00375	1693309	400	5-7	458 A 464	4"
JP00376	1694107	400	10	490	2 1/2 "
JP00377	1694107	450	3	490	2 1/2 "
JP00378	1694107	400	10	490	3"
JP00379	1694107	450	3	490	4"
JP00380	1694109	400	10	490	3"
JP00381	1694109	450	3	490	4"
JP00382	1695507	500	5-7-10	572 A 584	2 1/2"
JP00383	1695507	500	5-7-10	572 A 584	3"
JP00384	1695509	500	5-7-10	572 A 584	4"